



Printing date 03/30/2016

Reviewed on 03/30/2016

1 Identification

· Product identifier Peroxyacetic acid based antimicrobial

· Trade name: SAN-I-OX (EPA Reg : 10324-214-12446)

· Article number: LPA13

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:
 ZEE COMPANY, INC.
 4146 South Creek Road
 Chattanooga, TN 37406

· Information department: Technical Services: 423-698-1401

- Emergency telephone number: CHEMTREC: 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Flame

Org. Perox. EF H242 Heating may cause a fire.



Flame over circle

Ox. Liq. 1 H271 May cause fire or explosion; strong oxidizer.



Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Printing date 03/30/2016 Reviewed on 03/30/2016

Trade name: SAN-I-OX (EPA Reg : 10324-214-12446)

(Contd. of page 1)

· Hazard pictograms









GHS02 GHS03 GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

hydrogen peroxide solution peroxyacetic acid acetic acid

· Hazard statements

Combustible liquid.

May cause fire or explosion; strong oxidizer.

Heating may cause a fire.

Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage.

· Precautionary statements

Take any precaution to avoid mixing with combustibles.

Wear fire/flame resistant/retardant clothing.

Do not breathe dusts or mists.

Wear protective gloves / eye protection / face protection.

Keep only in original container.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

Specific treatment (see on this label).

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

In case of fire: Use for extinction: CO2, powder or water spray.

Store locked up.

Protect from sunlight.

Store at temperatures not exceeding 86°F. Keep cool.

Store away from other materials.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

Printing date 03/30/2016 Reviewed on 03/30/2016

Trade name: SAN-I-OX (EPA Reg : 10324-214-12446)

(Contd. of page 2)

- · Classification system:
- NFPA ratings (scale 0 4)



The substance possesses oxidizing properties.

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 0 Reactivity = 2

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
7722-84-1	hydrogen peroxide solution	25-35%
64-19-7	acetic acid	2,5-10%
79-21-0	peroxyacetic acid	2,5-10%

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Remove to fresh air. If symptoms persist consult a doctor.

In case of unconsciousness, immediately seek medical attention.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Immediately flush open eye with running water for a minimum of 15 minutes. Immediately get medical attention.

· After swallowing:

Immediately contact a doctor or Poison Control Center.

Immediately drink large quantities of milk, milk of magnesia, egg whites or gelatin solution. If these are not available, drink large quantities of water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Protective equipment: Mouth respiratory protective device.
- · Additional information

Liberates oxygen during thermal decomposition, which can enhance combustion of flammable materials.

(Contd. on page 4)

Printing date 03/30/2016 Reviewed on 03/30/2016

Trade name: SAN-I-OX (EPA Reg : 10324-214-12446)

(Contd. of page 3)

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow to enter surface or ground water.

Do not allow to penetrate the ground/soil.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with sand or other non-combustible material.

Dike with inert materials.

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

Storage

· Requirements to be met by storerooms and receptacles:

Store in a cool, dry, well ventilated area.

Keep this and all chemicals out of the reach of children.

Do not store in direct sunlight.

· Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

· Further information about storage conditions:

For quality purposes, avoid temperatures in excess of 86 degrees F. Elevated temperatures will accelerate decomposition resulting in a loss of assay.

Shelf life: 6 months at ideal storage conditions

Keep receptacle tightly sealed.

- · Specific end use(s) No further relevant information available.
- · Additional information about design of technical systems: No further data; see item 7.

· Com	· Components with limit values that require monitoring at the workplace:		
7722	7722-84-1 hydrogen peroxide solution		
PEL	PEL Long-term value: 1.4 mg/m³, 1 ppm		
REL	Long-term value: 1.4 mg/m³, 1 ppm		
TLV	Long-term value: 1.4 mg/m³, 1 ppm		
64-19	64-19-7 acetic acid		
PEL	Long-term value: 25 mg/m³, 10 ppm		
REL	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm		
TLV	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm		
79-2	79-21-0 peroxyacetic acid		
TLV	Short-term value: 1.24* mg/m³, 0.4* ppm *inhalable fraction + vapor		

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 03/30/2016 Reviewed on 03/30/2016

Trade name: SAN-I-OX (EPA Reg : 10324-214-12446)

(Contd. of page 4)

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Apron

· General Information		
· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Acrid	
· Odor threshold:	Not determined.	
· pH-value:	<1.5	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
		(Contd. on page 6)

(Contd. on page 6)

Printing date 03/30/2016 Reviewed on 03/30/2016

Trade name: SAN-I-OX (EPA Reg : 10324-214-12446)

(Contd. of page 5) · Lower: Not determined. · Upper: Not determined. · Vapor pressure: Not determined. · Density at 20 °C (68 °F): 1.14 g/cm³ (9.513 lbs/gal) · Relative density Not determined. Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not determined. Kinematic: Not determined. · Other information No further relevant information available.

- · Reactivity No further relevant information available.
- · Chemical stability Stable
- · Thermal decomposition / conditions to be avoided:

Thermal decomposition releases oxygen, and may pressurize storage vessel.

· Possibility of hazardous reactions

May produce violent reactions with bases and numerous organic substances including alcohols and amines.

· Conditions to avoid

Open Flames, elevated temperatures, any source of heat, combustibles such as paper and wood, and contamination. Temperatures above 86 degrees F will decrease shelf life of product and accelerate decomposition resulting in a loss of assay.

· Incompatible materials:

Alkali (Caustic)

Reducing Agents

- · Hazardous decomposition products: No dangerous decomposition products known.
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

None of the ingredients is listed.

· IARC (Inte	· IARC (International Agency for Research on Cancer)	
7722-84-1	hydrogen peroxide solution	3
· NTP (Natio	NTP (National Toxicology Program)	

(Contd. on page 7)

Printing date 03/30/2016 Reviewed on 03/30/2016

Trade name: SAN-I-OX (EPA Reg : 10324-214-12446)

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Toxicity

· Aquatic toxicity:

Acetic acid (CAS 64-19-7)

Fish, LC50, 96 hour, Oncorhynchus mykiss: > 1000 mg/L

Crustacea, EC50, 48 hour, Daphnia: > 1000 mg/L

Hydrogen peroxide (CAS 7722-84-1)

Fish, LC50, 96 hour, Fathead minnow (Pimephales promelas): 16.4 mg/L

Crustacea, NOEC, 21 day, Daphnia: 0.63 mg/L

Peracetic acid (CAS79-21-0)

Fish, LC50, 96 hour, Bluegill (Lepomis macrochirus): 1.1 mg/L

Crustacea, NOEC, 21 day, Daphnia: 0.08 mg/L

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.
- · Waste treatment methods
- · Recommendation:

Dispose of in accordance with federal, state, and local regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· DOT, IMDG, IATA	UN3109	
· UN proper shipping name		
· DOT, IMDG, IATA	Organic peroxide type F, liquid	
Class	5.2 Organic peroxides	
· Label	5.2	
· Class	5.2 Organic peroxides	
· DOT	II .	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Warning: Organic peroxides	
· Stowage Category	D	
· Stowage Code	SW1 Protected from sources of heat.	
	(O-1)	

(Contd. on page 8)

Reviewed on 03/30/2016 Printing date 03/30/2016

Trade name: SAN-I-OX (EPA Reg : 10324-214-12446)

· Segregation Code	SG35 Stow "separated from" acids.
	SG36 Stow "separated from" alkalis. SG72 See 7.2.6.3.2.
· Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
- DOT - Quantity limitations	On passenger aircraft/rail: 10 L On cargo aircraft only: 25 L
· IMDG	
· Limited quantities (LQ)	125 ml
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID, 5.2,
	lations/legislation specific for the substance or mixture
· Sara	actions/legislation specific for the substance of mixture
· Section 355 (extremely hazardous sub	stances):
7722-84-1 hydrogen peroxide solution	
79-21-0 peroxyacetic acid	
· Section 313 (Specific toxic chemical lis	stings):
79-21-0 peroxyacetic acid	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive	ve toxicity for females:
None of the ingredients is listed.	
· Chemicals known to cause reproductive	ve toxicity for males:
None of the ingredients is listed.	
· Chemicals known to cause developme	ental toxicity:
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agenc	y)
None of the ingredients is listed.	
· TLV (Threshold Limit Value established	d by ACGIH)
7722-84-1 hydrogen peroxide solution	Α
NIOSH-Ca (National Institute for Occup	pational Safety and Health)
None of the ingredients is listed.	
· GHS label elements The product is classified and labeled acco	ording to the Globally Harmonized System (GHS). (Contd. on page

Printing date 03/30/2016 Reviewed on 03/30/2016

Trade name: SAN-I-OX (EPA Reg : 10324-214-12446)

(Contd. of page 8)

· Hazard pictograms









GHS02 GHS03 GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

hydrogen peroxide solution peroxyacetic acid acetic acid

· Hazard statements

Combustible liquid.

May cause fire or explosion; strong oxidizer.

Heating may cause a fire.

Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage.

· Precautionary statements

Keep out of reach of children.

Take any precaution to avoid mixing with combustibles.

Wear fire/flame resistant/retardant clothing.

Do not breathe dusts or mists.

Wear protective gloves / eye protection / face protection.

Keep only in original container.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

Specific treatment (see on this label).

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

In case of fire: Use for extinction: CO2, powder or water spray.

Store locked up.

Protect from sunlight.

Store at temperatures not exceeding 86°F. Keep cool.

Store away from other materials.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

US

Printing date 03/30/2016 Reviewed on 03/30/2016

Trade name: SAN-I-OX (EPA Reg : 10324-214-12446)

(Contd. of page 9)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Contact: Jim Faller/Keith Seyfried
- Date of preparation / last revision 03/30/2016 / 14
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids, Hazard Category 4

Ox. Liq. 1: Oxidising Liquids, Hazard Category 1 Org. Perox. EF: Organic Peroxides, Types E, F

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

· * Data compared to the previous version altered.